

---

1. IntroductionGDS Delivery Version: **D3.8**    ☐ Full Delivery    ☒ Partial    ICA #:

## In Flight

Spacecraft:   ☐ MGS    ☐ M98 Orbiter    ☒ M98 Lander    ☐ Stardust    ☐ Other [\_\_\_\_]

## Pre\_Flight

Spacecraft:   ☐ M01 Orbiter    ☐ M01 Lander    ☐ Genesis    ☐ Other [\_\_\_\_]Type:    ☒ Block Updates: \*\*    ☒ Utilities  
         ☒ Modeling Updates    ☒ Flight Rules

---

Notice: Times Below were decided at the Change Board.Installation Window: \_\_\_\_\_  
Best Times to Install: \_\_\_\_\_  
Freeze Times: \_\_\_\_\_

---

MCR's572 - MPL Landed Safe Mode Redesign  
573 - Landed Ops Wakeup Block Mods 991111Updated Blocks(uhf\_ce\_receive.blk)  
(wakeup\_restore.blk & wakeup\_no\_restore.blk)ISA's

Z65980 - Z65981 - Individual station transmitter suppression not working correctly

FR's

Z66094 - Candy Hansen reports that device energy modeled in apgen does not stop accumulating when device is powered off.

---

2. Delivery Location: **mgcm1:/test/seq**    ☒ **doc/** (directory)    ☒ **tarfiles/** (directory)

---

3. Install - Tar file: **D3.8-SEQ-000-SEQ.tar** in directory: /msop/seq/On: **Testbed** workstations

- 1) copy the tarfile: **D3.8-SEQ-000-SEQ.tar** - to subdirectory: /msop
- 2) tar -xvf **D3.8-SEQ-000-SEQ.tar**
- 3) rm **D3.8-SEQ-000-SEQ.tar**

Comments: - COPY - tar file - **over** – current /msop/seq

---

Notify:   ☒ J. Morris (4-1069)    ☒ S. Wissler (4-0153)    ☐ Linda Lee (3-9568),  
when Install is completed.

This form will be placed on our homepage, in the following URL: [http://mgsw3.jpl.nasa.gov/seq/seq\\_dev/](http://mgsw3.jpl.nasa.gov/seq/seq_dev/)

---

**Directory Listing: D3.8-SEQ-000-SEQ.tar**

164723 Nov 11 16:11 1999 seq/aaf/m98.11-9-99.science.aaf

2233 Nov 15 21:58 1999 seq/bin/mpl-seq-adapt-setup

346984 Nov 15 20:29 1999 seq/satf/M98.lander.Llc.satf

559147 Nov 15 20:17 1999 seq/smf/M98.lander.8.0.0.Llc.smf

---